

ÉMONDA SLR 9 ETAP

Matte Onyx Carbon



Navy Carbon Smoke/Blue



Navy Carbon Smoke/Viper Red

FRAME Ultralight 800 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SLR full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus RSL 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, 100x12 front, 142x12 rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R4 320 Handmade Clincher, Hard-Case Lite, 320 tpi, 700x25c

SHIFTER SRAM RED eTap AXS, 12 speed

FRONT DERAILLEUR SRAM RED eTap AXS, braze-on

REAR DERAILLEUR SRAM RED eTap AXS, Orbit chain management, 33T max cog

CRANK SRAM RED Power Meter, 48/35, DUB spindle

BOTTOM BRACKET SRAM DUB, T47 threaded, internal bearing

CASSETTE SRAM Red XG-1290, 10-33, 12 speed

CHAIN SRAM RED D1, 12 speed

PEDAL

SADDLE Bontrager Aeolus Pro, carbon rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Aeolus RSL Integrated bar/stem, OCLV Carbon, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM

HEADSET

BRAKES SRAM Red eTap AXS hydraulic disc, flat mount

ÉMONDA SLR 9

Navy Carbon Smoke/Viper Red



Matte Onyx Carbon



Navy Carbon Smoke/Blue

FRAME Ultralight 800 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SLR full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus RSL 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, 100x12 front, 142x12 rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R4 320 Handmade Clincher, Hard-Case Lite, 320 tpi, 700x25c

SHIFTER Shimano Dura-Ace Di2 R9170, 11 speed

FRONT DERAILLEUR Shimano Dura-Ace Di2 R9150, braze-on

REAR DERAILLEUR Shimano Dura-Ace Di2 R9150, short cage, 30T max cog

CRANK Shimano Dura-Ace R9100, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Dura-Ace R9100, 11-30, 11 speed

CHAIN Shimano Dura-Ace HG900, 11 speed

PEDAL

SADDLE Bontrager Aeolus Pro, carbon rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Aeolus RSL Integrated bar/stem, OCLV Carbon, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM

HEADSET

BRAKES Shimano Dura-Ace hydraulic disc, flat mount

ÉMONDA SLR 7 ETAP

Navy Carbon Smoke/Blue



Matte Onyx Carbon



Navy Carbon Smoke/Viper Red

FRAME Ultralight 800 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SLR full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Pro 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, 100x12 front, 142x12 rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R3 Hard-Case Lite, aramid bead, 120 tpi, 700x25c

SHIFTER SRAM Force eTap AXS, 12 speed

FRONT DERAILLEUR SRAM Force eTap AXS, braze-on

REAR DERAILLEUR SRAM Force eTap AXS, 36T max cog

CRANK SRAM Force, 48/35, DUB spindle

BOTTOM BRACKET SRAM DUB, T47 threaded, internal bearing

CASSETTE SRAM Force XG-1270, 10-33, 12 speed

CHAIN SRAM Force, 12 speed

PEDAL

SADDLE Bontrager Aeolus Elite, austenite rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Aeolus RSL Integrated bar/stem, OCLV Carbon, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM

HEADSET

BRAKES SRAM Force eTap AXS hydraulic disc, flat mount

ÉMONDA SLR 7

Rage Red/Trek Black



Navy Carbon Smoke/Viper Red



Navy Carbon Smoke/Blue



Matte Onyx Carbon

FRAME Ultralight 800 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SLR full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Pro 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, 100x12 front, 142x12 rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R3 Hard-Case Lite, aramid bead, 120 tpi, 700x25c

SHIFTER Shimano Ultegra Di2, R8070, 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2, braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2, short cage, 30T max cog

CRANK Shimano Ultegra R8000, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Ultegra R8000, 11-30, 11 speed

CHAIN Shimano Ultegra HG701, 11-speed

PEDAL

SADDLE Bontrager Aeolus Elite, austenite rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Aeolus RSL Integrated bar/stem, OCLV Carbon, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM

HEADSET

BRAKES Shimano Ultegra hydraulic disc, flat mount

ÉMONDA SLR 6

Matte Onyx Carbon



Navy Carbon Smoke/Blue



Navy Carbon Smoke/Viper Red

FRAME Ultralight 800 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SLR full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Pro 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, 100x12 front, 142x12 rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R3 Hard-Case Lite, aramid bead, 120 tpi, 700x25c

SHIFTER Shimano Ultegra R8020, 11-speed

FRONT DERAILLEUR Shimano Ultegra R8000, braze-on

REAR DERAILLEUR Shimano Ultegra R8000, short cage, 30T max cog

CRANK Shimano Ultegra R8000, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Ultegra R8000, 11-30, 11 speed

CHAIN Shimano Ultegra HG701, 11-speed

PEDAL

SADDLE Bontrager Aeolus Elite, austenite rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Aeolus RSL Integrated bar/stem, OCLV Carbon, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM

HEADSET

BRAKES Shimano Ultegra hydraulic disc, flat mount

ÉMONDA SL 7 ETAP

Carbon Smoke/Factory Orange



FRAME Ultralight 500 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle

FORK Émonda SL full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Pro 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, SRAM XD-R driver, 100x12mm thru axle front, 142x12mm thru axle rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R2 Hard-Case Lite, aramid bead, 60 tpi, 700x25c

SHIFTER SRAM Force eTap AXS, 12 speed

FRONT DERAILLEUR SRAM Force eTap AXS, braze-on

REAR DERAILLEUR SRAM Force eTap AXS, Orbit chain management, 33T max cog

CRANK SRAM Force AXS Power Meter, 48/35, DUB spindle

BOTTOM BRACKET SRAM DUB, T47 threaded, internal bearing

CASSETTE SRAM Force XG-1270, 10-33, 12 speed

CHAIN SRAM Force, 12 speed

PEDAL

SADDLE Bontrager Aeolus Comp, steel rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Pro VR-C, OCLV Carbon, 31.8mm, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM Bontrager Pro, 31.8mm, Blendr compatible, 7 degree

HEADSET

BRAKES SRAM Force hydraulic disc, flat mount

ÉMONDA SL 7

Carbon Smoke/Factory Orange



Gloss Radioactive Red/Matte Carbon

FRAME Ultralight 500 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle
FORK Émonda SL full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Pro 37, OCLV Carbon, Tubeless Ready, 37mm rim depth, Shimano 11-speed freehub, 100x12mm thru axle front, 142x12mm thru axle rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R2 Hard-Case Lite, aramid bead, 60 tpi, 700x25c

SHIFTER Shimano Ultegra Di2, R8070, 11-speed

FRONT DERAILLEUR Shimano Ultegra R8050 Di2, braze-on

REAR DERAILLEUR Shimano Ultegra R8050 Di2, short cage, 30T max cog

CRANK Shimano Ultegra R8000, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Ultegra R8000, 11-30, 11 speed

CHAIN Shimano Ultegra HG701, 11-speed

PEDAL

SADDLE Bontrager Aeolus Comp, steel rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Pro VR-C, OCLV Carbon, 31.8mm, Di2 routing, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM Bontrager Pro, 31.8mm, Blendr compatible, 7 degree

HEADSET

BRAKES Shimano Ultegra hydraulic disc, flat mount

ÉMONDA SL 6 PRO

Lithium Grey/Brushed Chrome



Trek Black/Radioactive Red

FRAME Ultralight 500 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle
FORK Émonda SL full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Aeolus Elite 35, OCLV Carbon, Tubeless Ready, 35mm rim depth, Shimano 11-speed freehub, 100x12mm thru axle front, 142x12mm thru axle rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R2 Hard-Case Lite, aramid bead, 60 tpi, 700x25c

SHIFTER Shimano Ultegra R8025, short-reach lever, 11 speed

FRONT DERAILLEUR Shimano Ultegra R8000, braze-on

REAR DERAILLEUR Shimano Ultegra R8000, short cage, 30T max cog

CRANK Shimano Ultegra R8000, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Ultegra R8000, 11-30, 11 speed

CHAIN Shimano Ultegra HG701, 11-speed

PEDAL

SADDLE Bontrager Aeolus Comp, steel rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Elite VR-C, alloy, 31.8mm, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM Bontrager Pro, 31.8mm, Blendr compatible, 7 degree

HEADSET

BRAKES Shimano Ultegra hydraulic disc, flat mount

ÉMONDA SL 6

Trek Black/Radioactive Red



Lithium Grey/Brushed Chrome

FRAME Ultralight 500 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle
FORK Émonda SL full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS Bontrager Paradigm Disc, Tubeless Ready, 20mm rim width, Shimano 11-speed freehub, 100x12mm thru axle front, 142x12mm thru axle rear

FRONT HUB

REAR HUB

RIM

TIRE Bontrager R2 Hard-Case Lite, aramid bead, 60 tpi, 700x28c

SHIFTER Shimano Ultegra R8025, short-reach lever, 11 speed

FRONT DERAILLEUR Shimano Ultegra R8000, braze-on

REAR DERAILLEUR Shimano Ultegra R8000, short cage, 30T max cog

CRANK Shimano Ultegra R8000, 52/36

BOTTOM BRACKET Praxis, T47 threaded, internal bearing

CASSETTE Shimano Ultegra R8000, 11-30, 11 speed

CHAIN Shimano Ultegra HG701, 11-speed

PEDAL

SADDLE Bontrager Aeolus Comp, steel rails, 145mm width

SEATPOST Bontrager carbon seatmast cap, 20mm offset

HANDLEBAR Bontrager Elite VR-C, alloy, 31.8mm, 100mm reach, 124mm drop

GRIPS Bontrager Supertack Perf tape

STEM Bontrager Pro, 31.8mm, Blendr compatible, 7 degree

HEADSET

BRAKES Shimano Ultegra hydraulic disc, flat mount

ÉMONDA SL 5

Quicksilver/Brushed Chrome



Carbon Blue Smoke/Metallic Blue

FRAME Ultralight 500 Series OCLV Carbon, Ride Tuned performance tube optimization, tapered head tube, internal routing, DuoTrap S compatible, flat mount disc, 142x12mm thru axle
FORK Émonda SL full carbon, tapered carbon steerer, internal brake routing, flat mount disc, 12x100mm thru axle

SHOCK

WHEELS

FRONT HUB Bontrager alloy, sealed bearing, centerlock disc, 100x12mm thru axle
REAR HUB Bontrager alloy, sealed bearing, centerlock, Shimano 11-speed freehub, 142x12mm thru axle
RIM Bontrager Affinity Disc, Tubeless Ready, 24-hole, 21mm width, presta valve
TIRE Bontrager R1 Hard-Case Lite, wire bead, 60 tpi, 700x28c
SHIFTER Shimano 105 R7025, short-reach lever, 11 speed
FRONT DERAILLEUR Shimano 105 R7000, braze-on
REAR DERAILLEUR Shimano 105 R7000, short cage, 30T max cog
CRANK Shimano 105 R7000, 50/34 (compact)
BOTTOM BRACKET Praxis, T47 threaded, internal bearing
CASSETTE Shimano 105 R7000, 11-30, 11 speed
CHAIN Shimano 105 HG601, 11 speed

PEDAL

SADDLE Bontrager Montrose Comp, steel rails, 138mm width
SEATPOST Bontrager alloy seatmast cap, 10mm offset
HANDLEBAR Bontrager Comp VR-C, alloy, 31.8mm, 100mm reach, 124mm drop
GRIPS Bontrager Supertack Perf tape
STEM Bontrager Elite, 31.8mm, Blendr compatible, 7 degree
HEADSET
BRAKES Shimano 105 hydraulic disc, flat mount